

L Number	Hits	Search Text	DB	Time stamp
25	549	((calibrat\$3 or adjust\$4 or alter\$5) near4 (camera or detector or (photo adj (detector or sensor or transducer)) or imager or (imaging adj (system or device or apparatus or apparata or component or module or section))) near4 (relative or apparent or virtual) near3 (position or positioning or placement))	USPAT; US-PGPUB	2004/11/04 08:57
26	123	((calibrat\$3 or adjust\$4 or alter\$5) near4 (camera or detector or (photo adj (detector or sensor or transducer)) or imager or (imaging adj (system or device or apparatus or apparata or component or module or section))) near4 (relative or apparent or virtual) near3 (position or positioning or placement))	EPO; JPO; DERWENT; IBM_TDB	2004/11/04 08:57
24	6	(5159361, 5699444, 5768443, 5832106, 5889550, 6101455, 6359647, 6700669, 6710765, 6741757, 6778282, 6789039, 20020136444, 20030144815, "20030151720").pn. and ((calibrat\$3 or adjust\$4 or alter\$5) near4 (camera or detector or (photo adj (detector or sensor or transducer)) or imager or (imaging adj (system or device or apparatus or apparata or component or module or section))) near4 (relative or apparent or virtual) near3 (position or positioning or placement))	USPAT; US-PGPUB	2004/11/04 08:53
27	0	(5159361, 5699444, 5768443, 5832106, 5889550, 6101455, 6359647, 6700669, 6710765, 6741757, 6778282, 6789039, 20020136444, 20030144815, "20030151720").pn. and ((calibrat\$3 or adjust\$4 or alter\$5) near4 (camera or detector or (photo adj (detector or sensor or transducer)) or imager or (imaging adj (system or device or apparatus or apparata or component or module or section))) near4 (relative or apparent or virtual) near3 (position or positioning or placement)) and ((move or moving or placing or placement or displace or place or displacing or displacement or set or setting or reset or resetting or replace or replacing) near3 ((light or ray or beam or laser or (light adj source)) adj (focus or point or spot or dot or convergence or focalization)))	USPAT; US-PGPUB	2004/11/04 08:57
29	0	((calibrat\$3 or adjust\$4 or alter\$5) near4 (camera or detector or (photo adj (detector or sensor or transducer)) or imager or (imaging adj (system or device or apparatus or apparata or component or module or section))) near4 (relative or apparent or virtual) near3 (position or positioning or placement)) and ((move or moving or placing or placement or displace or place or displacing or displacement or set or setting or reset or resetting or replace or replacing) near3 ((light or ray or beam or laser or (light adj source)) adj (focus or point or spot or dot or convergence or focalization)))	EPO; JPO; DERWENT; IBM_TDB	2004/11/04 08:57
30	1	(5159361, 5699444, 5768443, 5832106, 5889550, 6101455, 6359647, 6700669, 6710765, 6741757, 6778282, 6789039, 20020136444, 20030144815, "20030151720").pn. and ((move or moving or placing or placement or displace or place or displacing or displacement or set or setting or reset or resetting or replace or replacing) near3 ((light or ray or beam or laser or (light adj source)) adj (focus or point or spot or dot or convergence or focalization)))	USPAT; US-PGPUB	2004/11/04 08:58
28	4	((calibrat\$3 or adjust\$4 or alter\$5) near4 (camera or detector or (photo adj (detector or sensor or transducer)) or imager or (imaging adj (system or device or apparatus or apparata or component or module or section))) near4 (relative or apparent or virtual) near3 (position or positioning or placement)) and ((move or moving or placing or placement or displace or place or displacing or displacement or set or setting or reset or resetting or replace or replacing) near3 ((light or ray or beam or laser or (light adj source)) adj (focus or point or spot or dot or convergence or focalization)))	USPAT; US-PGPUB	2004/11/04 09:04
31	93	frame and ((light or laser) adj (point or spot or focus)) and (field adj view) and (calibrat\$3 near4 (camera or imager or (imaging adj (system or device or apparatus))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:14

32	93	frame and ((light or laser) adj (point or spot or focus)) and (field adj view) and (calibrat\$3 near4 (camera or imager or (imaging adj (system or device or apparatus)))) and ((light or laser or illumination or irradiation) adj (point or spot or convergence or focus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:15
33	7	frame and ((light or laser) adj (point or spot or focus)) and (field adj view) and (calibrat\$3 near4 (camera or imager or (imaging adj (system or device or apparatus)))) and ((move or moving or translation or translating or displace or displacement or displacing) near3 ((light or laser or illumination or irradiation) adj (point or spot or convergence or focus)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:21
34	0	(frame with (field adj view)) and (calibrat\$3 with (camera or imager or (imaging adj (system or device or apparatus)))) and ((move or moving or translation or translating or displace or displacement or displacing) adj ((light or laser or illumination or irradiation) adj (point or spot or convergence or focus))) and (determin\$5 near4 (camera or imager or (imaging adj (system or device or apparatus))) near4 (relative adj (position or positioning or location or locale or placement or siting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:26
35	0	(frame with (field adj view)) and (calibrat\$3 with (camera or imager or (imaging adj (system or device or apparatus)))) and ((move or moving or translation or translating or displace or displacement or displacing) adj ((light or laser or illumination or irradiation) adj (point or spot or convergence or focus))) and (determin\$5 with (camera or imager or (imaging adj (system or device or apparatus))) with (relative adj (position or positioning or location or locale or placement or siting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:25
36	0	((move or moving or translation or translating or displace or displacement or displacing) adj ((light or laser or illumination or irradiation) adj (point or spot or convergence or focus))) and (determin\$5 with (camera or imager or (imaging adj (system or device or apparatus))) with (relative adj (position or positioning or location or locale or placement or siting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:26
37	709	(determin\$5 with (camera or imager or (imaging adj (system or device or apparatus))) with (relative adj (position or positioning or location or locale or placement or siting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:26
38	195	(determin\$5 with (camera or imager or (imaging adj (system or device or apparatus))) with (relative adj (position or positioning or location or locale or placement or siting))) and (calibrat\$3 with (camera or imager or (imaging adj (system or device or apparatus))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:27
39	0	(determin\$5 with (camera or imager or (imaging adj (system or device or apparatus))) with (relative adj (position or positioning or location or locale or placement or siting))) and (calibrat\$3 with (camera or imager or (imaging adj (system or device or apparatus)))) and ((move or moving or translation or translating or displace or displacement or displacing) adj ((light or laser or illumination or irradiation) adj (point or spot or convergence or focus)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:27
40	17	(determin\$5 with (camera or imager or (imaging adj (system or device or apparatus))) with (relative adj (position or positioning or location or locale or placement or siting))) and (calibrat\$3 with (camera or imager or (imaging adj (system or device or apparatus)))) and (((light or laser or illumination or irradiation) adj (point or spot or convergence or focus)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:29
41	3	(determin\$5 near5 (camera or imager or (imaging adj (system or device or apparatus))) near5 (relative adj (position or positioning or location or locale or placement or siting))) and (calibrat\$3 near5 (camera or imager or (imaging adj (system or device or apparatus)))) and (((light or laser or illumination or irradiation) adj (point or spot or convergence or focus)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 09:29
-	189	73/1.01.ccls.	USPAT; US-PGPUB	2004/11/04 08:24
-	103	73/1.75.ccls.	USPAT; US-PGPUB	2004/11/02 09:45

-	220	73/1.79.ccls.	USPAT; US-PGPUB	2004/11/02 09:45
-	367	348/135.ccls.	USPAT; US-PGPUB	2004/11/02 09:46
-	536	356/614.ccls.	USPAT; US-PGPUB	2004/11/02 09:46
-	293	382/286.ccls.	USPAT; US-PGPUB	2004/11/02 09:46
-	244	382/289.ccls.	USPAT; US-PGPUB	2004/11/02 09:46
-	102	702/1.ccls.	USPAT; US-PGPUB	2004/11/02 09:46
-	244	702/33.ccls.	USPAT; US-PGPUB	2004/11/02 09:46
-	113	702/40.ccls.	USPAT; US-PGPUB	2004/11/02 09:46
-	411	702/85.ccls.	USPAT; US-PGPUB	2004/11/02 09:46
-	311	702/94.ccls.	USPAT; US-PGPUB	2004/11/02 09:47
-	191	702/95.ccls.	USPAT; US-PGPUB	2004/11/02 09:47
-	122	702/105.ccls.	USPAT; US-PGPUB	2004/11/02 09:47
-	256	702/127.ccls.	USPAT; US-PGPUB	2004/11/02 09:47
-	648	702/150.ccls.	USPAT; US-PGPUB	2004/11/02 09:47
-	257	702/151.ccls.	USPAT; US-PGPUB	2004/11/02 09:47
-	211	702/152.ccls.	USPAT; US-PGPUB	2004/11/02 09:47
-	173	702/153.ccls.	USPAT; US-PGPUB	2004/11/02 09:48
-	0	702/85.ccls. and 73.101.ccls.	USPAT; US-PGPUB	2004/11/02 09:48
-	0	702/85.ccls. and 73.175.ccls.	USPAT; US-PGPUB	2004/11/02 09:49
-	0	702/85.ccls. and 73.179.ccls.	USPAT; US-PGPUB	2004/11/02 09:49
-	0	702/85.ccls. and 356/614.ccls.	USPAT; US-PGPUB	2004/11/02 09:49
-	0	702/85.ccls. and 382/286.ccls.	USPAT; US-PGPUB	2004/11/02 09:49
-	0	702/85.ccls. and 382/289.ccls.	USPAT; US-PGPUB	2004/11/02 09:49
-	0	702/85.ccls. and 702/40.ccls.	USPAT; US-PGPUB	2004/11/02 09:50
-	0	702/85.ccls. and 702/152.ccls.	USPAT; US-PGPUB	2004/11/02 09:50
-	1	702/85.ccls. and 348/135.ccls.	USPAT; US-PGPUB	2004/11/02 09:50
-	2	702/85.ccls. and 702/1.ccls.	USPAT; US-PGPUB	2004/11/02 09:51
-	4	702/85.ccls. and 702/33.ccls.	USPAT; US-PGPUB	2004/11/02 09:51
-	14	702/85.ccls. and 702/94.ccls.	USPAT; US-PGPUB	2004/11/02 09:53
-	5	702/85.ccls. and 702/95.ccls.	USPAT; US-PGPUB	2004/11/02 09:56
-	6	702/85.ccls. and 702/105.ccls.	USPAT; US-PGPUB	2004/11/02 09:56
-	5	702/85.ccls. and 702/127.ccls.	USPAT; US-PGPUB	2004/11/02 09:56
-	10	702/85.ccls. and 702/150.ccls.	USPAT; US-PGPUB	2004/11/02 09:56
-	1	702/85.ccls. and 702/151.ccls.	USPAT; US-PGPUB	2004/11/02 09:57

-	1	702/85.ccls. and 702/153.ccls.	USPAT; US-PGPUB	2004/11/02 09:59
-	0	((camera or spectrograph or imager) near3 (calibrat\$3 or scal\$3)) and ((light or ray or beam) near3 (point or spot or focus)) and (frame with "field of view") and ((plural\$3 or several or multiple or some or many or group) near3 (camera or spectrograph or imager)) and (relat\$3 near3 (position or location or siting or site))	USPAT; US-PGPUB	2004/11/03 07:29
-	0	((camera or imager) near3 (calibrat\$3 or scal\$3)) and ((light or ray or beam) near5 (point or spot or focus) near5 (moving or motion or displacement)) and ((flat or planar or plane) near3 (surface or expanse)) and (frame with "field of view") and ((plural\$3 or several or multiple or some or many or group) near3 (camera or imager)) and (relat\$3 near3 (position or location))	USPAT; US-PGPUB	2004/11/02 10:13
-	0	(camera near3 calibrat\$3) and ((light or ray or beam) with (point or spot or focus) with (moving or motion or displacement) with (flat or planar or plane) with (surface or expanse)) and (frame with "field of view") and ((plural\$3 or several or multiple or some or many or group) near3 (camera or imager)) and (relat\$3 near3 (position or location))	USPAT; US-PGPUB	2004/11/02 10:16
-	2315	camera near3 calibrat\$3	USPAT; US-PGPUB	2004/11/02 10:15
-	4	(camera near3 calibrat\$3) and ((light or ray or beam) with (point or spot or focus) with (moving or motion or displacement) with (flat or planar or plane) with (surface or expanse))	USPAT; US-PGPUB	2004/11/02 10:26
-	6	("5227985" "5432526" "5546327" "5805196" "6064423" "6300931").PN.	USPAT	2004/11/02 10:23
-	0	6710765.URPN.	USPAT	2004/11/02 10:23
-	4357	(calibrat\$3 near4 (camera or ccd or imager or (imaging near3 (device or apparatus or appliance or module or component or element))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 07:32
-	0	(calibrat\$3 near4 (camera or ccd or imager or (imaging near3 (device or apparatus or appliance or module or component or element)))) and ((moving or displac\$5 or position\$3 or locat\$3 or reposition\$3 or relocat\$3) near4 (light or ray or beam) near4 (point or area or region or dot or spot)) with ((on or atop or upon or across) near4 (flat or plane or planar) near4 (surface or extent or extention or expanse or expansion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 07:39
-	437	(calibrat\$3 near4 (camera or ccd or imager or (imaging near3 (device or apparatus or appliance or module or component or element)))) and ((moving or displac\$5 or position\$3 or locat\$3 or reposition\$3 or relocat\$3) near4 (light or ray or beam) near4 (point or area or region or dot or spot))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 07:43
-	11	(calibrat\$3 near4 (camera or ccd or imager or (imaging near3 (device or apparatus or appliance or module or component or element)))) and ((moving or displac\$5 or position\$3 or locat\$3 or reposition\$3 or relocat\$3) near4 (light or ray or beam) near4 (point or area or region or dot or spot)) with ((flat or plane or planar) near4 (surface or extent or extention or expanse or expansion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 07:39
-	437	(calibrat\$3 near4 (camera or ccd or imager or (imaging near3 (device or apparatus or appliance or module or component or element)))) and ((moving or displac\$5 or position\$3 or locat\$3 or reposition\$3 or relocat\$3) near4 (light or ray or beam) near4 (point or area or region or dot or spot or (flat adj surface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 07:44
-	78	(calibrat\$3 near4 (camera or ccd or imager or (imaging near3 (device or apparatus or appliance or module or component or element)))) and ((moving or displac\$5 or position\$3 or locat\$3 or reposition\$3 or relocat\$3) near4 (light or ray or beam) near4 (point or area or region or dot or spot or (flat adj surface))) and ((first or primary or initial or plural or plurality or several or multiple or some or many) near3 (frame or window))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 07:46

-	8	(calibrat\$3 near4 (first or primary or initial or plural or plurality or several or multiple or some or many) near4 (camera or ccd or imager or (imaging near3 (device or apparatus or appliance or module or component or element)))) and ((moving or displac\$5 or position\$3 or locat\$3 or reposition\$3 or relocat\$3) near4 (light or ray or beam) near4 (point or area or region or dot or spot or (flat adj surface))) and ((first or primary or initial or plural or plurality or several or multiple or some or many) near3 (frame or window))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 07:49
-	65	(calibrat\$3 near4 (first or primary or initial or plural or plurality or several or multiple or some or many) near4 (camera or ccd or imager or (imaging near3 (device or apparatus or appliance or module or component or element)))) and ((determin\$5 or measur\$5 or analy\$4) near4 relat\$3 near4 (camera or ccd or imager or (imaging near3 (device or apparatus or appliance or module or component or element)) near4 (position or location or coordinate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 09:34
-	3	(5829444, 5662111, "5529070").pn.	USPAT	2004/11/03 09:36
-	1	(5829444, 5662111, "5529070").pn. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3)	USPAT	2004/11/03 09:38
-	50	73/\$.ccls. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3)	USPAT; US-PGPUB	2004/11/03 09:39
-	563	348/\$.ccls. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3)	USPAT; US-PGPUB	2004/11/03 09:39
-	148	396/\$.ccls. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3)	USPAT; US-PGPUB	2004/11/03 09:39
-	107	702/\$.ccls. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3)	USPAT; US-PGPUB	2004/11/03 09:43
-	0	438/\$.ccls. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3) and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 relat\$3 near3 (position or location or site or placement))	USPAT; US-PGPUB	2004/11/03 12:18
-	6	438/\$.ccls. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3)	USPAT; US-PGPUB	2004/11/03 09:46
-	24	702/\$.ccls. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3) and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 relat\$3 near3 (position or location or site or placement))	USPAT; US-PGPUB	2004/11/03 09:49
-	6	73/\$.ccls. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3) and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 relat\$3 near3 (position or location or site or placement))	USPAT; US-PGPUB	2004/11/03 09:57
-	17	396/\$.ccls. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3) and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 relat\$3 near3 (position or location or site or placement))	USPAT; US-PGPUB	2004/11/03 09:58
-	86	348/\$.ccls. and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3) and ((camera or imager or (imaging adj (device or apparatus or apparata))) near3 relat\$3 near3 (position or location or site or placement))	USPAT; US-PGPUB	2004/11/03 09:58
-	60	((method\$5 or process or procedure or routine or algorithm) near5 (camera or imager or (imaging adj (device or apparatus or apparata))) near3 calibrat\$3) and ((determin\$5 or measur\$5) near5 (camera or imager or (imaging adj (device or apparatus or apparata))) near3 relat\$3 near3 (position or location or site or placement))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 12:22
-	1	6789039.pn. and point and light	USPAT	2004/11/03 13:43
-	1	6789039.pn.	USPAT	2004/11/03 13:43
-	18	("4381608" "4490849" "4631598" "4639878" "4653104" "4945493" "5699444" "5764516" "5832106" "5870490" "5933921" "6009189" "6101268" "6101455" "6138196" "6219063" "6249234" "6359647").PN.	USPAT	2004/11/03 13:46
-	0	6789039.URPN.	USPAT	2004/11/03 13:43

-	0	("4381608" "4490849" "4631598" "4639878" "4653104" "4945493" "5699444" "5764516" "5832106" "5870490" "5933921" "6009189" "6101268" "6101455" "6138196" "6219063" "6249234" "6359647").PN. and (((moving or movement or displacing or displacement or motion) near4 (point or focus or spot or dot) near4 (light or laser or ray or beam)) with (((flat or plane or planar) near3 (surface or extent or expanse)) or (floor or wall or ceiling)))	USPAT	2004/11/03 13:52
-	0	("4381608" "4490849" "4631598" "4639878" "4653104" "4945493" "5699444" "5764516" "5832106" "5870490" "5933921" "6009189" "6101268" "6101455" "6138196" "6219063" "6249234" "6359647").PN. and ((moving or movement or displacing or displacement or motion) near4 (point or focus or spot or dot) near4 (light or laser or ray or beam)) and (((flat or plane or planar) near3 (surface or extent or expanse)) or (floor or wall or ceiling)))	USPAT	2004/11/03 13:53
-	0	("4381608" "4490849" "4631598" "4639878" "4653104" "4945493" "5699444" "5764516" "5832106" "5870490" "5933921" "6009189" "6101268" "6101455" "6138196" "6219063" "6249234" "6359647").PN. and ((moving or movement or displacing or displacement or motion) near4 (point or focus or spot or dot) near4 (light or laser or ray or beam))	USPAT	2004/11/03 13:54
-	300	((calibrat\$3 or modif\$7 or adjust\$4 or alter\$5) near3 (camera or imager or (photo\$detector or (imaging adj (device or apparata or apparatus)))) and ((moving or movement or displacing or displacement or motion) near4 (point or focus or spot or dot) near4 (light or laser or ray or beam)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 14:00
-	102	((calibrat\$3 or modif\$7 or adjust\$4 or alter\$5) near3 (camera or imager or (photo\$detector or (imaging adj (device or apparata or apparatus)))) and ((moving or movement or displacing or displacement or motion) near4 (point or focus or spot or dot) near4 (light or laser or ray or beam)) and (relat\$3 near3 (camera or imager or (photo\$detector or (imaging adj (device or apparata or apparatus)) near3 (position or location or orientation or placement))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/03 14:06
-	207	396/322.ccls.	USPAT; US-PGPUB	2004/11/03 14:56
-	364	396/661.ccls.	USPAT; US-PGPUB	2004/11/03 14:56
-	70	396/325.ccls.	USPAT; US-PGPUB	2004/11/03 14:57
-	5604	396/\$.ccls. and ((calibrat\$3 or chang\$3 or modif\$7 or adjust\$4 or alter\$5) near3 camera)	USPAT; US-PGPUB	2004/11/03 14:58
-	272	396/\$.ccls. and ((calibrat\$3 or chang\$3 or modif\$7 or adjust\$4 or alter\$5) near3 camera) and (camera near3 relat\$3 near3 (position or placement))	USPAT; US-PGPUB	2004/11/03 14:59
-	52	396/\$.ccls. and ((calibrat\$3 or chang\$3 or modif\$7 or adjust\$4 or alter\$5) near3 camera) and (camera near3 relat\$3 near3 (position or placement)) and ((flat or plane or planar) near3 (surface or extent or expanse))	USPAT; US-PGPUB	2004/11/03 15:00